

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"5189296".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/10 14:05
L2	2	"6112098".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/10 14:06
L3	2	"5189296".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/10 14:06
L4	2	"6538299".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/10 14:10
L5	44	356/485.ccls. and (chip or semiconductor or wafer or substrate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/10 14:15
L6	4099	324/750-765.ccls. and (power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/10 16:40
L7	0	6 and ((intergated adj circuit) same (measur\$\$ or detect\$4 or detect\$\$) adj2 circuit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/10 14:18
L8	245	6 and (physical adj3 contact\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/10 14:21

L9	315	6 and (physical\$3 adj3 contact\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/10 14:21
L10	203	9 and (laser or energy or photodiode or capacitor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/10 14:24
L11	109	10 and (kerf or edge or corner or margin)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/10 15:09
L12	5	11 and wireless\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/10 15:09
L13	15	("5032788").URPN.	USPAT	OR	ON	2005/08/10 15:16
L14	42	324/750-765.ccls. and (power) and kerf	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/10 16:10
L15	1463	324/750-765.ccls. and (power) and (scrib\$4 same laser or light or coil)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/10 16:11
L16	24	324/750-765.ccls. and (power) and (scrib\$4 same (laser or light or coil))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/10 16:24
L17	1877	250/492.2.ccls. and (chip or wafer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/10 16:25

L18	516	17 and (measur\$4 or test\$4 or detect\$4) same circuit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/10 16:26
L19	26	18 and (kerf or scrib\$4) and circuit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/10 16:26
L20	153	324/750-765.ccls. and contactless	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/10 17:11
L21	2	20 and optical adj power	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/10 17:11